

1-11-01

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Changsheng Liu

09/676526

Application No.: Not Yet Assigned

Filed: Herewith 10/2/00

For: CAPILLARY ELECTROPHORETIC
ANALYSIS SYSTEM HAVING A
DETECTOR WITH DYE INDEPENDENT
CALIBRATION

Group Art Unit: Not yet assigned

1743
Staib, S. A.

Examiner: Not yet assigned

Attorney Docket No.: 9046-034

PTO
U.S.
09/676526
10/02/00

INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR 1.97(b)

Assistant Commissioner for Patents
BOX PATENT APPLICATION
Washington, D.C. 20231

Sir:

Applicant requests that the references listed on the enclosed Form PTO-1449 be entered and made of record in the present application.

As this statement is being submitted before the first Office Action or within three months of the filing date, no fee is believed to be due. Should any fees be required, please charge it to Pennie & Edmonds LLP's Deposit Account No. 16-1150.

Respectfully submitted,

Date October 2, 2000

Nanda K. Alapati

Nanda K. Alapati
For: Allan A. Fanucci

Reg. No. 39,893
Reg. No. 30,256

PENNIE & EDMONDS LLP
1667 K Street, N.W.
Washington, DC 20006
(202) 496-4400

Enclosures